MATERIAL SAFETY DATA SHEET

A. J. FUNK & CO.

1471 Timber Drive, Elgin, IL 60123

Tel: (847) 741-6760 Fax: (847) 741-6767

| HMIS | CODE |
|-------------|------|
| Health | 1 |
| Fire | 0 |
| Reactivity | 0 |
| Pers. Prot. | None |

Emergency Phone Number (Spill or Release): (847) 741-6760 Toll-Free Number (Medical Emergency): (877) 225-3865

| ****** | ***** | ************************************** | IDENTITY*** | *********** | |
|--|-------------------------|--|-----------------------|---|--|
| COMMON NAME: SPARKLE GLASS CLEANER (Used on label – Trade Name and Synonyms) | | | PRODUCT CODE: 20500 | | |
| PROPER SHIPPING | NAME: Con | nsumer Commodity | D.O.T. HAZAR | RD CLASS: ORM-D | |
| CHEMICAL FAMILY | <u> </u> | Glycols | CHEMICAL NA | AME: 2-Butoxyethanol | |
| FORMULA: | ROV | Vater and Chemical | <u>CAS NO. :</u> | 111-76-2 | |
| ****** | ****** | SECTION 2: HAZARD | OUS INGREDI | ENTS********************* | |
| HAZARDOUS COMF 2-Butoxyethanol | PONENTS: (C CAS# 111 | Chemical and Common Names) 1-76-2 | HAZARD: Skin, eyes | <u>TLV (UNITS):</u> 120/mg/M/8HR(OSHA) | |
| ****** | SECTION 3 | B: PHYSICAL AND C (Fire and Exp | | ARACTERISTICS********************************** | |
| BOILING POINT: | 95° C | SPECIFIC GRAVITY (H20=1) | <u>:</u> 0.994 | VAPOR PRESSURE: Not available | |
| PERCENT VOLATIL BY VOLUME (%) | E : 4.9% | VAPOR DENSITY: | (Air=1)>1 | EVAPORATION RATE : (Ether=I)<1 | |
| SOLUBILITY IN WATER: | Complete | REACTIVITY IN WA | TER/ None | APPEARANCE AND ODOR: Clear liquid with proprietary And flowery/fruity fragrance. | |
| FLASH POINT: | None | FLAMMABLE LIMIT IN AIR % BY VOLUM | | None – Non-Flammable as described In 16 CFR 1500.45 None | |
| AUTO IGNITION TEMPERATURE: | None | EXTINGUISHER MEDIA: | None | SPECIAL FIRE FIGHTING PROCEDURES: None | |
| | UNU | JSUAL FIRE AND EXPLO | SIVE HAZARDS: | None | |
| ****** | ***** | ***SECTION 4: PHYS | SICAL HAZARI |)\$************* | |
| STABILITY: UNS | TABLE | CON | DITIONS TO AVO | DID: | |

INCOMPATIBILITY/ (Materials to Avoid):

Not recommended for finished

None Known

wood surfaces

HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID:

MAY OCCUR_ WILL NOT OCCUR __XX__

STABLE__XX__

COMMON NAME: SPARKLE GLASS CLEANER

| ************************************** | LTH HAZARDS************************************ | ***** |
|---|---|--------------------|
| OSHA PERMISSIBLE EXPOSURE LIMIT: None | ACGIH THRESHOLD LIMIT VALUE: | None |
| OTHER EXPOSURE LIMIT USED: None | MEDICAL CONDITIONS GENERALLY AGGR BY EXPOSURE: Nor | AVATED ne Known |
| SIGNS AND SYMPTOMS OF EXPOSURE: 1. ACUTE OVEREXPOSURE: May irritate eyes 2. CHRONIC OVEREXPOSURE: None Known | PRIMARY ROUTE(S) OF EXPOSURE: | None |
| EMERGENCY AND FIRST AID PROCEDURE: IF IN EYES: Flush with water for 15 minutes. IF INGESTED: Drink several glasses of water – Call a doctor. | CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN: | None |
| HYGENIC PRACTICES: Keep out of eyes. Keep out of reach | of children. | |
| ************************************** | TECTION INFORMATION*********** | ****** |
| RESPIRATORY PROTECTION: None | WORK PRACTICES: | None |
| VENTILIATION: Use in area with adequate ventilation. | PROTECTIVE GLOVES: | None |
| EYE PROTECTION: Safety glasses when handling large quantities. | OTHER PROTECTIVE CLOTHING OR EQUIPMENT: | None |
| ************************************** | S AND SPILL / LEAK PROCEDURES*** | ***** |
| PRECAUTIONS TO BE TAKEN IN HANDLING STORAGE: CONSUMER: None | | |
| MANUFACTURER: Adequate ventilation or respiratory ma | sk and eye protection. | |
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED O | R SPILLED: Wipe up with absorbent material o away with water. | r wash |
| IN CASE OF LARGE SPILL: Dispose of according to local or | dinances. | |
| WASTE DISPOSAL METHODS: End use product container s solid waste. | hould be discarded as normal, non-hazardous, | |
| ************************************** | NAL INFORMATION************* | ***** |
| PRODUCT INFORMATION: (847) 741-6760 (Non-Emergency | | |
| DATE PREPARED: JAN. 15, 2005 | PREVIOUS MSDS DATED: JAN. 01, 2003 | |
| | | |

SIGNATURE OF PERSON RESPONSIBLE FOR PREPARATION: