MSDS Document


Product QUICK PEEL

1. Chemical Product and Company Identification

Trade Name of this Product QUICK PEEL MSDS ID DA 6671

Manufacturer

Drummond American 600 Corporate Woods Parkway Vernon Hills, IL 60061 Contact Name
Corporate Compliance Team
Phone Number
(847) 913-9313
Emergency Phone
(888) 426-4851
Revision Date 09/19/2001



2. Composition and Information on Ingredients

Ingredient D-LIMONENE	CAS Number 5989-27-5	Weight % 90-95 %	ACGIH TLV	PEL NE	STEL NE
FRAGRANCE	PROPRIETA RY	1-5 %			
CARBON DIOXIDE	124-38-9	1-5 %	5000	10000.0	30000

3. Hazard Identification

Route Of Entry

Inhalation Eyes Skin

TARGET ORGANS AFFECTED

Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

EFFECTS OF OVEREXPOSURE

SKIN CONTACT: Excessive exposure causes irritation. EYE CONTACT: Causes redness,

itching or burning sensation. INHALATION: Excessive exposure may cause headache, dizziness, nausea, and loss of coordination. Extreme overexposure may result in unconsciousness and possibly death.

4. First Aid Information

EMERGENCY AND FIRST AID PROCEDURES

SKIN CONTACT: Wash thoroughly with soap and water. Remove contaminated clothing and launder before reuse. EYE CONTACT: Immediately flush with water for 15 minutes. Get medical attention. INHALATION: If affected, remove to fresh air. Restore breathing and keep victim warm and quiet. INGESTION: Get medical attention.

5. Fire Fighting Measures

Flash Point

FP Method

Tag Closed Cup

LEL

0.7

UEL

7

Extinguishing Media

Dry Chemical Carbon Dioxide Foam

Aerosol Product

Treat as cylinder of compressed gas.

SPECIAL FIREFIGHTING PROCEDURES

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be ineffective. If water is used, fog nozzles are preferable. Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.

UNUSUAL FIRE AND EXPLOSION HAZARDS

Isolate from heat, electrical equipment, sparks and open flame. Containers may explode when exposed to extreme heat. Application to hot surfaces requires special precautions. During emergency conditions, overexposure may not be immediately apparent. Obtain medical attention.

FLAMMABILITY CLASSIFICATION OSHA CLASS N/A DOT Class N/A

6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.

7. Handling and Storage

Other Precautions

Keep out of reach of children. Read entire label prior to use.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Use only with adequate ventilation. Avoid breathing vapor and spray mist. Avoid skin and eye contact. Do not take internally. Keep away from heat and open flame. Contents under pressure. Do not puncture or incinerate container. Do not store in temperatures above

Hygienic Practices

Wash hands before eating or using the washroom. Smoke in SMOKING AREAS ONLY.

8. Exposure Controls and Personal Protection

PROTECTIVE GLOVES

For prolonged or repeated contact, wear chemical resistant gloves.

VENTILATION

Local exhaust is preferable, general exhaust is acceptable if exposure is maintained below applicable limits.

Respiratory Protection

None necessary. Wear a NIOSH/MSHA organic vapor/particulate respirator if exposure limits are exceeded.

EYE PROTECTION

Wear ANSI approved safety glasses with sideshields.

9. Physical and Chemical Properties

Density lbs/Gal.

7.06

Boiling/Cond. Point

<0-412F

Evaporation Rate

Faster than ether

Percent Volatile

Vapor Density

Heavier than air

OPTIONAL INFORMATION:

Appearance / Odor: Clear yellow liquid with orange scent

Specific Gravity: 0.85

10. Stability and Reactivity

Stability

Stable

Hazardous Polymerization

Will not occur

Page 4 of 4 Source 04/21/2003 MSDS ID DA 6671 QUICK PEEL

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon dioxide and carbon monoxide by burning.

Incompatibility
None Known.

11. Toxicological Information

Carcinogenicity

IARC - No

NTP - No

OSHA - No None known.

12. Ecological Information

13. Disposal Considerations

WASTE DISPOSAL METHOD

Do not puncture or incinerate container. Depressurize container and dispose of in accordance with local, state and federal regulations.

14. Transportation Information

D.O.T. Emergency Response Information Not Applicable.

U.N. CLASSIFICATION PER DOT ORM-D PER IMCO N/A

15. Regulatory Information

16. Other Information