



*Marks / ket*

# Material Safety Data Sheet

## Section 1: Product & Company Identification

Product Name: Knock'er Loose® (Aerosol)

Product Number (s): 03020

Manufactured By:  
CRC Industries, Inc.  
885 Louis Drive  
Warminster, PA 18974  
[www.crcindustries.com](http://www.crcindustries.com)

*ATTN Tom*

General Information	(215) 674-4300
Technical Assistance	(800) 521-3168
Customer Service	(800) 272-4620
24-Hr Emergency (CHEMTREC)	(800) 424-9300

## Section 2: Hazards Identification

### Emergency Overview

Appearance & Odor: Reddish liquid, pleasant odor

### DANGER

Harmful or fatal if swallowed. Eye irritant. Contents under pressure.

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

### Potential Health Effects:

EYE: Liquid may cause mild irritation including stinging, tearing and redness.

SKIN: Liquid may cause mild to moderate skin irritation including redness, itching, and burning. Repeated contact may cause drying and cracking of skin.

INHALATION: Breathing small amounts of vapor during normal handling is not likely to cause harmful effects. Breathing large amounts may cause irritation to the nose and throat as well as headache, drowsiness or other nervous system effects.

INGESTION: Swallowing small amounts during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. Main hazard is aspiration of this material into the lungs during swallowing or vomiting. This can result in lung inflammation and other lung injury.

CHRONIC EFFECTS: Unknown

TARGET ORGANS: Inadequate data available for this material.

Medical Conditions Aggravated by Exposure: skin or respiratory conditions

See Section 11 for toxicology and carcinogenicity information on product ingredients.

**Product Name:** Knock'er Loose® (Aerosol)**Product Number (s):** 03020**Section 3: Composition/Information on Ingredients**

COMPONENT	CAS NUMBER	% by Wt.
Hydrotreated petroleum distillates	64742-46-7 / 64742-47-8	30 - 40
Aliphatic hydrocarbon	8052-41-3	20 - 30
Petroleum solvent	64742-95-6	4 - 10
Pine resin distillate	8006-64-2	4 - 10
Hydrocarbon solvent	111-76-2	2 - 6
Ketone alcohol	123-42-2	2 - 6
1-Methyl propanol	78-92-2	2 - 6
Carbon dioxide	124-38-9	1 - 3

**Section 4: First Aid Measures**

**Eye Contact:** Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

**Skin Contact:** Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.

**Inhalation:** Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.

**Ingestion:** Do not induce vomiting due to aspiration hazard. Seek medical attention.

**Note to Physicians:** This material is an aspiration hazard.

**Section 5: Fire-Fighting Measures**

**Flammable Properties:** This product is nonflammable in accordance with aerosol flammability definitions (16 CFR 1500.3(c)(6)).

Flash Point (liquid):	145 F (COC)	Upper Explosive Limit:	ND
Autoignition Temperature	ND	Lower Explosive Limit:	ND

**Suitable Extinguishing Media:** Use extinguishing media appropriate for a Class B fire.

**Products of Combustion:** Oxides of carbon

**Protection of Fire-Fighters:** Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

**Product Name:** Knock'er Loose® (Aerosol)**Product Number (s):** 03020**Section 6: Accidental Release Measures**

**Personal Precautions:** Use personal protection recommended in Section 8.

**Environmental Precautions:** Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

**Methods for Containment & Clean-up:** Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

**Section 7: Handling and Storage**

**Handling Procedures:** Do not use near flames, sparks or other sources of ignition. Do not heat product. Use with adequate ventilation in order to prevent vapor build-up and a flammable atmosphere. Avoid contact with skin and eyes.

**Storage Procedures:** Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to prevent cans from rupturing.

**Aerosol Storage Level:** III

**Section 8: Exposure Controls/Personal Protection**

**Exposure Guidelines:**

COMPONENT	OSHA		ACGIH		OTHER		UNIT
	TWA	STEL	TWA	STEL	TWA	SOURCE	
Hydrotreated petroleum distillates	NE	NE	NE	NE	NE		
Aliphatic hydrocarbon	100 (v)	NE	100	NE	NE		ppm
Petroleum solvent	NE	NE	NE	NE	NE		
Pine resin distillate	100	NE	20	NE	NE		ppm
Hydrocarbon solvent	50 (s)	NE	20	NE	NE		ppm
Ketone alcohol	50	NE	50	NE	NE		ppm
1-Methyl propanol	100 (v)	NE	100	NE	NE		ppm
Carbon dioxide	5000	30000v	5000	30000	NE		ppm
N.E. – Not Established      (c) – ceiling      (s) – skin      (v) – vacated							

**Engineering Controls:** Area should have ventilation to provide fresh air. Use local exhaust to prevent accumulation of vapors. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations

**Respiratory Protection:** None required for normal work where adequate ventilation is provided. Use a NIOSH-approved cartridge respirator with organic vapor cartridge if vapors exceed exposure limits. Use a self-contained breathing apparatus in confined spaces and for emergencies.

**Eye/face Protection:** For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

**Product Name:** Knock'er Loose® (Aerosol)**Product Number (s):** 03020

Skin Protection:

Use protective gloves such as nitrile or other synthetic rubbers. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

---

**Section 9: Physical and Chemical Properties**

Physical State: Liquid  
Color: reddish  
Odor: pleasant  
Specific Gravity: 0.823  
Initial Boiling Point: ND  
Freezing Point: ND  
Vapor Pressure: ND  
Vapor Density: > 1 (air = 1)  
Evaporation Rate: ND (ether = 1)  
Solubility: negligible  
pH: NA  
Volatile Organic Compounds: wt %: 73.7 g/L: 607 lbs./gal: 5.05

---

**Section 10: Stability and Reactivity**

Stability: Stable  
Conditions to Avoid: heat, sources of ignition  
Incompatible Materials: strong oxidizers  
Hazardous Decomposition Products: oxides of carbon  
Possibility of Hazardous Reactions: No

---

**Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

**ACUTE EFFECTS**

<u>Component</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Hydrotreated petroleum distillates (64742-46-7 & 64742-47-8)	LD50	> 5 g/kg	Oral	Rat
	LD50	> 2 g/kg	Dermal	Rabbit
	LC50	> 5mg/L/4H	Inhalation	Rat

**CHRONIC EFFECTS**

Carcinogenicity:

	<u>Component</u>	<u>Result</u>
OSHA:	None listed	
IARC:	None listed	
NTP:	None listed	

Mutagenicity: No data available.

**Product Name:** Knock'er Loose® (Aerosol)**Product Number (s):** 03020**Section 12: Ecological Information**

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:	No data available
Persistence / Degradability:	No data available
Bioaccumulation / Accumulation:	No data available
Mobility in Environment:	No data available

**Section 13: Disposal Considerations**

**Disposal:** This product does not contain any listed hazardous wastes. Any liquid waste should be tested to determine if it meets a RCRA waste characteristic. (See 40 CFR Part 261.20 - 261.33) Aerosol containers should be emptied and depressurized before disposal. Empty containers may be recycled or discarded. Any liquids should be collected and properly disposed.

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

**Section 14: Transport Information**

Proper shipping description:

US DOT (ground): Consumer Commodity, ORM-D

Special Provisions: None

**Section 15: Regulatory Information****U.S. Federal****Toxic Substances Control Act (TSCA):**

All ingredients are either listed on the TSCA inventory or are exempt.

**Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):**

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

**Superfund Amendments Reauthorization Act (SARA) Title III:**

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	Yes
	Reactive Hazard	No
	Release of Pressure	Yes
	Acute Health Hazard	Yes
	Chronic Health Hazard	No

**Product Name:** Knock'er Loose® (Aerosol)**Product Number (s):** 03020

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

1-Methyl propanol (4.9%), Glycol ethers ( 4.9%),  
Pseudocumene (95-63-6) (1.5%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

**State Regulations**California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: NONE

State Right to Know:

New Jersey: 8052-41-3, 111-76-2, 8002-09-3, 8006-64-2, 123-42-2, 78-92-2, 124-38-9, 95-63-6  
 Pennsylvania: 8052-41-3, 123-42-2, 78-92-2, 111-76-2, 124-38-9, 95-63-6  
 Massachusetts: 8052-41-3, 8006-64-2, 123-42-2, 111-76-2, 78-92-2, 124-38-9, 95-63-6  
 Rhode Island : 8052-41-3, 111-76-2, 8006-64-2, 123-42-2, 78-92-2, 124-38-9

**Additional Regulatory Information:** This product is not for retail sale in California and OTC states.

**Section 16: Other Information**

NFPA:	Health: 1	Flammability: 2	Reactivity: 0	
HMIS:	Health: 1	Flammability: 2	Reactivity: 0	PPE: B

Prepared By: Michelle Rudnick  
 CRC #: 447A  
 Revision Date: 4/11/2006

Changes since last revision: MSDS reformatted in accordance with ANSI Z400.1-2004

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
PMCC:	Pensky-Martens Closed Cup	g/L:	grams per Liter
PPE:	Personal Protection Equipment	lbs./gal:	pounds per gallon
TWA:	Time Weighted Average	STEL:	Short Term Exposure Limit
OSHA:	Occupational Safety and Health Administration	COC:	Cleveland Open Cup
ACGIH	American Conference of Governmental Industrial Hygienists		
NIOSH	National Institute of Occupational Safety & Health		