MSDS - Material Safety Data Sheet Product Name: Hi-Fi Volcano Latent Print Powder, Indestructible White

MSDS No.:	103L /	185	1KGC	REC'D	APR	12	2006		
I. Basic Information:									
Manufacturer	: Sirchie Finger Print L				NF	PA Fire			
Address: 100 Hunter Place							(1)	X	
City, ST Zip: Youngsville, NC 27596						He	- \ /	Reactivity	
Emergency C	ontact: CHEMTREC				\				
Emergency Telephone Number: 800-424-9300							Special	Y	
Contact: Tech	n Support					Special			
Information To	elephone Number: 91	9-554-2244				<u></u>		1	
						2			
Last Update: 01/25/2006 Expiration Date:						1			
Chemical State: Liquid Gas			X Solid			0			
Chemical Typ	e: Pure	X Mixture				F	Pers. Pro	tection	
II. Ingredie	ents:			· · · · · · · · · · · · · · · · · · ·		·			
Trade Sec							,	<u> </u>	
			EH	S IAF	RC S	SARA			
CAS No.	Chemical Name		% Range	NTP	SUB Z	313	OSHA PEL	ACGIH	Other
21645512	Alumina hydrate		<5	NIP.	3052		5 mg/m3	10 mg/m3	Limits
0	Lycopodium		>11			:	NE	NE	
7631869	Silica, amorphous		<6				80 mg/m3	10 mg/m3	3 mg/m3
13463677	Titanium dioxide		51-62				15 mg/m3	10 mg/m3	-
557051	Zinc stearate		>23				NE	10 mg/m3	
III. Hazardous Identification:									
Hazard Category:									
X Acute X Chronic		Fire			Pressure			Reactive	
Hazardous Identification Information:									
May be dangerous if swallowed. Respiratory tract irritant. Skin irritant. Severe eye irritant.									
This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.									
IV. First Aid Measures:									
Route(s) of En	try:								
Inhalation,	ingestion, skin, eyes								
Horith Haranta (A automatical Share)									
Health Hazards (Acute and Chronic): Chronic: Skin drying and cracking									
		· J					•		
Signs and Sym		ltss							
	Cough, discomfort, o	imiculty preathing	g, snonness of brea	tn					
Skin: Rash							*		

Eyes: Discomfort, tearing, blurry vision, inflammation, redness, itching

MSDS - Material Safety Data Sheet Product Name: Hi-Fi Volcano Latent Print Powder, Indestructible White

MSDS No.: 103L

Medical Conditions Generally Aggravated by Exposure:

Skin, eye, respiratory diseases

Emergency and First Ald Procedures:

Inhalation: Remove to fresh air. If breathing becomes difficult, give oxygen (To be administered by qualified medical personnel only!) If breathing stops, perform artificial respiration. Seek medical attention.

Ingestion: If victim is conscious and alert, give large quantities of water or milk. (Never give anything by mouth to an unconscious person!) Induce vomiting. Lower the head so that the vomit will not re-enter the mouth and throat. Seek medical

Skin: Wash with soap and water. If irritation occurs, seek medical attention.

Eyes: Rinse with plenty of water for 15 minutes and seek medical attention. DO NOT use eye ointment.

Convulsions: Do not restrain the victim, but do remove objects with which they might injure themselves; or, orient the victim to prevent them from striking fixed heavy objects. If the convulsions cease, turn the victim on their side or face down, so that any fluid in the mouth can drain.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: >350 F

Lower Explosive Limit: NE

Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Dry chemical, carbon dioxide, water spray or fog, foam

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. Cool containers with water jet in order to prevent pressure build-up, autoignition, or explosion.

Unusual Fire and Explosion:

Can pose dust explosion hazard if dispersed in air.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear dust respirator, safety goggles, and rubber gloves. Sweep up and place in bag or vacuum up with proper filter equipped instrument. Avoid creating dust. Ventilate and wash spill site after collecting solid. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Protect from damage. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Ground all equipment containing material. Use only in well-ventilated areas. Avoid dust generation and accumulation. Avoid ingesting and breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling.

Other Precautions:

MSDS - Material Safety Data Sheet

Product Name: Hi-Fi Volcano Latent Print Powder, Indestructible White

MSDS No.: 103L

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, gloves, dust respirator, protective clothing

IX. Physical and Chemical Properties:

Boiling Point: N/A

Melting Point: N/A

Evaporation Rate (Butyl Acetate = 1): NE

Vapor Pressure (mm Hg.): NE

Specific Gravity (H20 = 1): 3.80000

Vapor Density (AIR = 1): NE

Solubility In Water: Insoluble

A

Other Information:

Appearance and Odor: Odorless white powder

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Ignition sources (heat, open flame, spark), strong oxidizing agents

Decomposition/By Products:

Hazardous Polymerization:

Will not occur.

XI. Toxicological Information:

XII. Ecological Information:

Prevent from entering sewers or waterways. May be toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Protect from damage. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Ground all equipment containing material. Avoid dust generation and accumulation. Avoid ingesting and breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling.

MSDS - Material Safety Data Sheet

Product Name: Hi-Fi Volcano Latent Print Powder, Indestructible White

MSDS No.: 103L

XV. Regulatory Information:

Alumina hydrate, titanium dioxide, and silica, amorphous, are listed on the TSCA inventory.

Lycopodium is hazardous by definition of OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.