

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Name of product Lithofin ASR

Manufacturer/distributor CDK Stone Pty Ltd
4-6 Freighter Road, Moorabbin, Victoria 3189
Phone 03 9553 3055

Advice Technical Department
Phone 03 9553 3055

Recommended intended purpose(s)
Cleaner

2. HAZARDS IDENTIFICATION

Classification
C; R35

R-phrases
35 Causes severe burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization
Alkaline cleaner

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification
67-63-0	200-661-7	propan-2-ol	< 15	F R11; Xi R36; R67
111-76-2	203-905-0	2-butoxyethanol	< 20	Xn R20/21/22; Xi R36/38
1310-73-2	215-185-5	sodium-hydroxide	> 5	C R35
-	-	anionic surfactants	< 20	Xi R 38-41

4. FIRST AID MEASURES

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off immediately with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Do not induce vomiting.

If swallowed by mistake drink plenty of water and seek medical treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Extinguishing media which must not be used for safety reasons

Full water jet

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder).

7. HANDLING AND STORAGE

Advice on safe handling

Take the usual precautions when handling with chemicals.

Advice on protection against fire and explosion

No special measures necessary.

Requirements for storage rooms and vessels

Do not use glass containers.

Further information on storage conditions

Keep container dry, tightly closed and store at cool and aired place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC or 2006/15/EC)

CAS No	Name	Code	[mg/m ³]	[ppm]	Remark
111-76-2	2-butoxyethanol	8 hours	98	20	skin
		Short-term	246	50	

Hand protection

Gloves (alkali-resistant)

Eye protection

safety goggles

Skin protection

Alkali-resistant protective clothing

General protective measures

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Colour	Odour
liquid	yellowish	characteristic
Important health, safety and environmental information		
	Value	Temperature at Method Remark
pH value in delivery state	> 12	
starts to boil	> 90 °C	
Flash point	> 65 °C	
Density	ca. 1,1 g/cm3	
Solubility in water		multimiscible

10. STABILITY AND REACTIVITY

Conditions to avoid
Reactions with light metals, with evolution of hydrogen.

Materials to avoid
Reactions with acids.

11. TOXICOLOGICAL INFORMATION

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
LD 50 acute oral	not determined			
LD 50 acute dermal	not determined			
LC 50 acute inhalation	not determined			

12. ECOLOGICAL INFORMATION

Data on elimination (persistence and degradability)

	Elimination rate	Method of analysis	Method	Validation
Physico-chemical degradability	not determined			
Biological degradability	not determined			

13. DISPOSAL CONSIDERATIONS

Waste code No.	Name of waste
06 02 04*	sodium and potassium hydroxide

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 91/689/EEC on hazardous waste.

Recommendations for the product
Remove in accordance with local official regulations.

Recommendations for packaging
Totally emptied packaging may be taken for recycling.

14. TRANSPORT INFORMATION

Land and inland navigation transport ADR/RID
UN 1719 Caustic alkali liquid, n.o.s. (Sodium hydroxide), 8, III
Marine transport IMDG
UN 1719 Caustic alkali liquid, n.o.s., (Sodium hydroxide), 8, III
Air transport ICAO/IATA-DGR
UN 1719 Caustic alkali liquid, n.o.s., (Sodium hydroxide; solution), 8, III

15. REGULATORY INFORMATION

Remarks for classification
The product is classified and labelled in accordance with EC directives.

Classification
C Corrosive

R-phrases
35 Causes severe burns.

S-phrases
1/2 Keep locked up and out of reach of children.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Hazardous ingredients for labeling
sodium-hydroxide

National regulations

Water hazard class	2	VwVwS (17. 05. 1999)
--------------------	---	----------------------

16. OTHER INFORMATION

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Wording of the R-phrases specified in chapter 2 (not the classification of the formulation!)

- R 11 Highly flammable.
- R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- R 35 Causes severe burns.
- R 36 Irritating to eyes.
- R 36/38 Irritating to eyes and skin.
- R 38 Irritating to skin.
- R 41 Risk of serious damage to eyes.
- R 67 Vapours may cause drowsiness and dizziness.