OIL-DRI CORPORATION OF AMERICA -- FLOOR ABSORBENT

MSDS Safety Information

FSC: 7930

NIIN: 00-269-1272

MSDS Date: 03/15/1993

MSDS Num: BSRXL

Product ID: FLOOR ABSORBENT

MFN: 04

Responsible Party

Cage: LO041

Name: OIL-DRI CORPORATION OF AMERICA

Address: 520 N MICHIGAN AVE

City: CHICAGO IL 60611

Info Phone Number: 312-321-1515

Emergency Phone Number: 800-621-7191

Review Ind: Y Published: Y

Contractor Summary

Cage: 85983

Name: OIL-DRI CORP OF AMERICA Address: 520 N MICHIGAN AVE City: CHICAGO IL 60611-3702

Phone: UNKNOWN Cage: LO041

Name: OIL-DRI CORPORATION OF AMERICA

Address: UNKNOWN

City: UNKNOWN NK 00000

Phone: UNKNOWN

Item Description Information

Item Manager: GSA

Item Name: ABSORBENT MATERIAL, OIL AND WATER

Specification Number: CID A-A-1979

Unit of Issue: CO

Quantitative Expression: 0000000047LB

UI Container Qty: 1

Ingredients

Name: RESPIRABLE CRYSTALLINE SILICA

8 Wt: <0.1

Other REC Limits: NONE SPECIFIED

OSHA PEL: 0.1 MG/M3 ACGIH TLV: 0.1 MG/M3

Cas: 14808-60-7 RTECS #: VV7330000

Name: SILICA, CRYSTALLINE (OSHA HAZARD COMMUNICATION STD REQUIRES MAT'

LABELING CONTAINING =/> 0.1 CRYSTALLINE SILICA)

% Wt: 0-10

Other REC Limits: NONE SPECIFIED

Health Hazards Data

Route Of Entry Inds - Inhalation: YES

Ingestion: NO
IARC: YES

IARC: YES

Effects of Exposure: INHALATION: REPEATED INHALATION OF EXCESSIVE CONC OF ANY DUST OR OTHER UNSATURATED ORGANIC COMPOUNDS, OR WITH HYDROFLU ACID, MAY GENERATE HEAT.

Explanation Of Carcinogenicity: CRYSTALLINE SILICA LISTED (IARC) AS 2A EVIDENCE). NTP LISTS ONLY RESPIRABLE SIO2.

First Aid: NO SPECIAL PROCEDURES

Handling and Disposal

Spill Release Procedures: SWEEP AND DISPOSE

Waste Disposal Methods: UNUSED MATERIAL IS SUITABLE FOR DISPOSAL IN SA LANDFILL. USE MATERIAL MAY BE SUBJECT TO REGULATION, DEPENDING ON TH OF THE MATERIAL ABSORBED. CHECK WITH APPROPRIATE REGULATORY AUTHORIT USED MATERIAL CONTAINING HAZARDOUS WASTE.

Fire and Explosion Hazard Information

Extinguishing Media: WATER, CLASS A EXTINGUISHER.

Fire Fighting Procedures: NO SPECIAL PROCEDURES REQUIRED.

Unusual Fire/Explosion Hazard: NONE

Control Measures

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR IF EXCESSIVE DUS GENERATED.

Work Hygienic Practices: NORMAL GOOD WORK PRACTICE.

Physical/Chemical Properties

HCC: T6

Spec Gravity: 2.2 (WATER=1)

Appearance and Odor: GRAY TO TAN GRANULES; ODORLESS

Reactivity Data

Stability Indicator: YES

Materials To Avoid: CONTACT W/TERPENTINE, VEGETABLE OIL, OR OTHER UNSA

ORGANIC COMPOUNDS OR W/HYDROFLUORIC ACID MAY GENERATE HEAT.

Hazardous Decomposition Products: NONE Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: LO041

Trans ID NO: 64204

Product ID: FLOOR ABSORBENT MSDS Prepared Date: 03/15/1993

Review Date: 11/10/1993

MFN: 4

Net Unit Weight: 50 LBS Multiple KIT Number: 0

Review IND: Y Unit Of Issue: CO Container OTY: 1

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATIO

**-----

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATIO

~~_____

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: FLOOR ABSORBENT

Cage: LO041 Assigned IND: Y

Company Name: OIL-DRI CORPORATION OF AMERICA

Street: UNKNOWN City: UNKNOWN NK Zipcode: 00000

Health Emergency Phone: 800-621-7191

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998 Origination Code: G

Hazard And Precautions: INHALATION: REPEATED INHALATION OF EXCESSIVE CONCENTRATION OF ANY DUST OR OTHER UNSATURATED ORGANIC COMPOUNDS, OR

HYDROFLUORIC ACID, MAY GENERATE HEAT.

N/A

Disclaimer (provided with this information by the compiling agencies): information is formulated for use by elements of the Department of D The United States of America in no manner whatsoever expressly or im warrants, states, or intends said information to have any applicatio viability by or to any person or persons outside the Department of D nor any person or persons contracting with any instrumentality of th States of America and disclaims all liability for such use. Any pers utilizing this instruction who is not a military or civilian employe United States of America should seek competent professional advice t and assume responsibility for the suitability of this information to particular situation regardless of similarity to a corresponding Dep of Defense or other government situation.